according to Regulation (EC) No 1907/2006

# Contax\_Activator

Revision date: 15.04.2020 Product code: 2225 Page 1 of 6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Contax Activator

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg
Telephone: +49. (0) 40. 84006-

Telefax: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Hazard categories:

Organic peroxide: Org. Perox. B

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

#### 2.2. Label elements

# Regulation (EC) No 1272/2008

#### Hazard components for labelling

2-hydroxyethyl methacrylate

dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

# Pictograms:



#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.
P321 Specific treatment (see ... on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

according to Regulation (EC) No 1907/2006

# Contax\_Activator

Revision date: 15.04.2020 Product code: 2225 Page 2 of 6

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to ....

#### 2.3. Other hazards

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
868-77-9	2-hydroxyethyl methacrylate	2-hydroxyethyl methacrylate				
	212-782-2	607-124-00-X				
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317					
1565-94-2	Bis-GMA					
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335					
94-36-0	dibenzoyl peroxide; benzoyl peroxide					
	202-327-6	617-008-00-0				
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1; H241 H319 H317					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

оросии с с с и			
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	35 - 50 %
	oral: LD50 = 5050 mg/kg		
1565-94-2		Bis-GMA	40 - 50 %
	oral: LD50 = 50	000 ma/ka	

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

# After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

# After ingestion

Medical treatment necessary.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

according to Regulation (EC) No 1907/2006

### **Contax Activator**

Revision date: 15.04.2020 Product code: 2225 Page 3 of 6

### Suitable extinguishing media

Water spray jet, Extinguishing powder, Sand, Foam, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

# Advice on general occupational hygiene

Take off immediately all contaminated clothing. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

CAS	No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
94-36	-0	Benzoyl peroxid (Dibenzoyl peroxide)	-	5		TWA (8 h)	

### 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

# Eye/face protection

Tightly sealed safety glasses.

### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

according to Regulation (EC) No 1907/2006

### **Contax Activator**

Revision date: 15.04.2020 Product code: 2225 Page 4 of 6

#### Respiratory protection

The following must be prevented: inhalation.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: like: ester

Melting point/freezing point:

Boiling point or initial boiling point and

Preparation not tested.

100 °C

boiling range:

Lower explosion limits:

Upper explosion limits:

Preparation not tested.

Yapour pressure:

(at 20 °C)

Density: Preparation not tested. point of decomposition: > 200 °C

# **SECTION 10: Stability and reactivity**

# 10.4. Conditions to avoid

heat. Light.

#### 10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

# 10.6. Hazardous decomposition products

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

Preparation not tested.

# **Acute toxicity**

Acute toxicity, oral (Rat). LD50:: > 3700 mg/kg

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
868-77-9	2-hydroxyethyl methacrylate						
	oral	LD50 5050 mg/kg	Rat				
1565-94-2	Bis-GMA						
	oral	LD50 5000 mg/kg	Rat	literature value			

#### Irritation and corrosivity

Irritant effect on the eye: strongly irritant. Risk of serious damage to eyes.

Frequently or prolonged contact with skin may cause dermal irritation.

Print date: 12.06.2023

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Contax Activator**

Revision date: 15.04.2020 Product code: 2225 Page 5 of 6

#### Additional information on tests

Contains Methacrylates: May produce an allergic reaction. May cause sensitization by skin contact.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Product is partially biodegradable. > 50 % Acute fish toxicity LC50: >230 mg / I / 96 h

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d] S	Species	Source	Method
868-77-9	2-hydroxyethyl methacrylate						
	Acute fish toxicity	LC50	227 mg/l		Pimephales promelas		

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Carry out a burning of harzardous waste according to official regulations.

#### List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH

(EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH

CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans;

chemicals consisting of or containing hazardous substances; hazardous waste

# **SECTION 14: Transport information**

### Other applicable information

No dangerous good in sense of these transport regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

### National regulatory information

Water hazard class (D):

3 - highly hazardous to water

Print date: 12.06.2023

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Contax\_Activator

Revision date: 15.04.2020 Product code: 2225 Page 6 of 6

# **SECTION 16: Other information**

# Relevant H and EUH statements (number and full text)

H241	Heating may cause	a fira ar	ovologion
ΠZ4 I	nealing may cause	ameon	explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

# **Further Information**

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)